



The powerhouse technology INKvestment your business needs

Professional A3 INKvestment Inkjet Multi-Function

MFC-J6957DW



Exclusively available from Authorised Brother Resellers



Ideal choice for business

The Brother MFC-J6957DW is a state-of-the-art A3 Inkjet Multi-Function that's made for business. Featuring INKvestment Tank technology with 1 year of ink included in the box* and 2 years' warranty[#]. Along with the fastest in class first page out time of 4.4 secs¹⁰, print speeds of up to 30 ppm and single pass 2-sided (duplex) scanning, it provides a fast, smooth and consistent user experience while delivering professional quality colour documents. Designed for modern hybrid workplaces, with scan features including scan to email⁸, cloud storage⁸ and Optical Character Recognition (OCR), it also provides three paper trays handling paper from A5 through to A3. The MFC-J6957DW is the powerhouse technology INKvestment your business needs.

MFC-J6957DW



Key features:





- Up to 30 ppm print speed⁹
- Automatic 2-sided (duplex) A3 print, scan, copy and fax
- 3 x 250 paper trays up to A3²
- 100 sheet multi-purpose tray up to A3²
- 50 sheet 2-sided (duplex) A3 Automatic Document Feeder (ADF)²
- 8.8cm colour touchscreen
- Wired and wireless connectivity
- NFC (Near-Field Communication) for secure authentication, mobile print and scan
- Super high-yield replacement INKvestment Tank cartridges up to 6,000 pages black and up to 5,000 pages colour¹



Exceptional value

Experience professional prints and exceptional value with up to 3,000 pages in black and up to 3,000 pages in colour provided in-box – that's 1 YEAR* worth of ink!



INKvestment Tank System

Brother re-engineered its ink cartridges to hold more ink with an internal ink storage tank delivering more pages of uninterrupted printing with premium pigment-based inks



Made for business

Introducing new 'MaxiDrive' Inkjet technology that provides a premium long-life print head, the fastest in class first page out time of 4.4 secs¹⁰ and print speeds of up to 30 ppm.



Large replacement ink tanks

Help extend the savings with super high-yield replacement INKvestment Tank cartridges providing up to 6,000 pages black and up to 5,000 pages colour



Print with confidence

Help take the guesswork out of when to replace ink with Page Gauge technology - see the amount of ink you've used and the amount of ink you have remaining



Designed for mobile

Experience the user-friendly Brother Mobile Connect app, designed to connect to your Brother device to print, scan and manage documents on your smartphone



One-touch cloud connect

Print-from and scan-to popular cloud apps⁸ directly including Dropbox, Google Drive[™], OneDrive and more. Save time by creating custom shortcuts on the 8.8cm LCD touchscreen for your most used features



Simple to connect your way

Versatile connectivity options with dual band (2.4GHz/5Ghz) Wireless Network support, Ethernet, NFC, Wi-Fi Direct or USB



Brother at your side support

Free Australian-based support for the lifetime of your Brother device



General		Media Type and Weights	Standard Tray - Plain, Inkjet, Glossy, Recycled
Technology	Inkjet		64-220gsm
Memory	512MB		Second and Third Tray - Plain, Recycled 64-120gsm
LCD/Type & Size	8.8cm Colour Touchscreen LCD		Multi Purpose Tray - Plain, Inkjet, Glossy, Recycled
Local Interface	Hi-Speed USB 2.0		64-220gsm (260gsm with Brother BP71 glossy paper
Wired Network	10Base-T/100Base-TX Ethernet		only) ADF - Plain and Recycled paper 64-120gsm
Wireless Network	Dual Band 2.4Ghz and 5Ghz		Auto 2-Sided (duplex) Print - Plain, Recycled
Near Field Communication (NFC)	Yes		64-120gsm
USB Host	Print from and scan to a USB stick		
Wi-Fi Direct	Yes	Mobile and Web	
Printer		Connectivity	
Print Speed (A4) ⁹	1-sided: 30 ppm Mono and Colour	Brother Mobile Connect ⁵	Print from, scan to, send faxes, preview received
,	2-sided (duplex): 21 ppm Mono and Colour Yes	(Android)	faxes, preview copies and check the machine status from an Android device
Print (A3)		Brother Mobile Connect ⁵	Print from, scan to, send faxes, preview received
Print Speed FPOT ¹⁰	4.6 seconds Colour, 4.4 seconds Mono	(iPad / iPhone)	faxes, preview copies and check the machine status from an iPad / iPhone
Quiet Mode	Mode to reduce printing noise	Apple AirDrint	
Resolution	Up to 1200 x 4800 dpi (Horizontal and Vertical)	Apple AirPrint	Print from and scan to most common file types from any AirPrint enabled application
Print Languages	PCL6, BR-Script3, PDF version1.7, XPS version 1.0	Brother Print Service	Print from an Android devices without a dedicated
Embedded Fonts (PCL)	73 scalable fonts, 12 bitmap fonts	Plugin ⁵	App
Embedded Fonts (Postcript)	66 scalable fonts	Mopria ^{™ 5}	Print most common file types from Mopria™
Resident Bar Cords (PCL)	16 bar codes - Code39, Interleaved 2 of 5, FIM		supported Android devices
	(US-PostNet), Post Net (US-PostNet), EAN-8, EAN- 13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set	Brother Apps ⁸	Print from Creative Center, Scan to Mobile, Scan to Searchable PDF, Enlarge Text Copy, Fax Forward to Cloud/E-mail, Scan to PowerPoint, Scan to Excel,
Drintor Eurotiono	A, set B, set C), Code93, GS1Databar, MSI		Scan to Word, Easy Scan to E-mail
Printer Functions		Web Connect ⁸	Print from and scan to without using a PC on Box, Dropbox, Evernote, OneDrive, Google Drive™
N-up Printing ³	Reduce up to 2, 4, 9 or 16 pages into just one		OneNote
Poster Printing	Enlarge a single page into a poster using 4 or 9 pages		
Watermark Printing ⁴	Watermark your documents with predefined text or with your own user-defined messages	Сору	
ID Printing⁴	Add identification to your printed documents (date	Copy Speed ¹¹	1-Sided - Mono: 25 ipm, Colour: 16 ipm
	and time, short custom message or PC username)		2-Sided (duplex) - Mono: 18 ipm, Colour: 13 ipm 1-Sided: Yes
Booklet Printing⁴	Print documents in A5 booklet format using automatic or manual 2-sided (duplex) print	Сору (АЗ)	2-Sided (duplex): Yes Mono: 6 seconds
Print Profiles ³	Store your favourite driver settings as profiles to easily recall them	Copy Speed FCOT ¹¹	Colour: 5 seconds
Printer Driver			Mono: (Print) Max. 1200x4800 dpi, (Scan) Max.
Windows®	Windows [®] 11, Windows [®] 10 (32 and 64 bit editions),	Resolution	600x600 dpi Colour: (Print) Max. 1200x4800 dpi, (Scan) Max.
maowo	Windows [®] 8 (32 and 64 bit editions), Windows [®] 7 (32		600x600 dpi
	and 64 bit editions), Windows® Server 2019, 2016,	Auto Duplex Copy	Yes
	2012, 2012R2 and 2008R2, Windows [®] Server 2008 (32 and 64 bit editions)		Makes up to 999 copies of each page / Stacks or
Mac OS	(32 and 64 bit editions) 10.14.6 / 10.15 / 11 / 12	Copier Multi-Stack/Sort	Sorts
		Enlargement/Reduction Ratio	Reduce or Increase document sizes from 25% to
Linux	CUPS, LPD/LPRng (i686 and x86_64)	Emargement/ Reduction Ratio	400% in 1% increments
PCL Driver	Generic PCL XL driver	N in 1 Copying	Allows the user to compress 2 or 4 pages on to a
ChromeOS	Supports native ChromeOS printing		single A4 sheet
PostScript Universal Printer Driver	Driver for Windows that enables you to print to any	2 in 1 ID Copying	Allows the user to copy both sides of an ID card to a single A4 sheet
Deper Handling	network or locally connected Brother ink printer	Grey Scale	256 shades of grey (8 bit for each colour)
Paper Handling		Receipt Copying	Produces clearer copies of receipts
Paper Input ²	Standard Tray - 250 sheets Second Tray - 250 sheets	1 1 9 0	Makes reading copied documents easier if the size of
	Third Tray - 250 sheets Multi Purpose Tray - 100 sheets	Enlarge Text Copy ⁸	the text on the original document is small
	Auto Document Feeder (ADF) - 50 Sheets	Auto Deskew	ADF: Yes FB: Yes
Paper Output ²	100 Sheets A4 50 Sheets A3	Fit to Page	Yes
Envelope Printing	Up to 10 envelopes (upper or MP tray only)		
Media Sizes	Standard Tray -	Scanner	
	Standard Tray Landscape: A4, LTR, EXE	Scanner Type	Dual CIS (Contact Image Sensor)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch),		
	Indexcard (127x203mm/5x8inch), Photo-L	Colour and Mono Scanning	Yes
	(89x127mm/3.5x5inch), Photo-2L	Scan Speed ¹²	1-sided - A4 portrait: 25 ipm / 25 ipm
	(127x178mm/5x7inch), C5, Com-10, DL Envelope,		A4 landscape: 19 ipm / 19 ipm
	Monarch, Mexico Legal, India Legal Second Tray -		A3: 13 ipm / 13 ipm
	Second Tray Landscape: A4, LTR		2-sided -
	Second Tray Portrait: A3, LGR, LGL, Folio, Mexico		A4 portrait: 36 ipm / 36 ipm A4 landscape: 24 ipm / 24 ipm
	Legal, India Legal		A4 landscape. 24 ipm / 24 ipm A3: 17 ipm / 17 ipm
	Third Tray - Third Tray Landscape: A4, LTR	Scanner Resolution (Optical)	From Glass: 1200x2400dpi (mono) / 1200x1200dpi
	Third Tray Landscape: A4, LTR Third Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal,		(colour)
	India Legal		From ADF: 600x600dpi (mono) / 300x600dpi (colour)
	Multi Purpose Tray - Landscape: A4, LTR, EXE	Interpolated Scan Resolution	Up to 19200 x 19200dpi
	Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard	Colour Depth	48 bit colour Processing (Input)
	(127x203mm/5x8inch), Photo-L		24 bit colour Processing (Output)
	(89x127mm/3.5x5inch), Photo-2L	Grey Scale	16 bit colour Processing (Input) 8 bit colour Processing (Output)
	(127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal, Long paper (max		- Sit oologi i rooosoning (Odtput)
	length:1200mm)		
	Scanner Glass - Up to 297mm (W) / 431.8mm (L)		
	Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal		INK vestment
	, , , Erri, EAE, AO, MENIOU EGYAI, IIIUla EGYAI		Business

Scanner Functions		
Scan to/E-mail Server	Scan and share documents via e-mail server	
Scan to OCR	Scan documents directly into your word processing application for instant editing	
Scan to Image	Scan into your preferred image editing software	
Scan to File	Scan to a file on your computer	
Scan to Network	Scan documents to a nominated folder on your	
	network without using a Windows PC	
Scan to SFTP	Scan documents directly to a FTP server	
Scan Profile ³	Create up to 25 preset network, FTP/Network profiles	
	for an easy way to store multiple scan settings	
Scan To Microsoft Office	Scan to Word (.docx), PowerPoint (.pptx), Excel (.xlsx) for Microsoft Office	
Scan to SharePoint ⁴	Scan documents directly into SharePoint	
Scan to Media	USB memory drive	
Scan to Searchable PDF ⁷	Scan documents to searchable PDF files	
Auto Deskew ³	Yes	
Base Colour Removal ³	Yes	
Scanner Drivers		
Scanner Compatibility	Windows 11, Windows 10 (32&64bit), Windows 8/8.1	
ocamici compationity	(32&64bit), Windows 7 (32&64bit)	
	macOS 10.14.6 - 10.15, macOS 11-12	
Fau	Linux Sane	
Fax	Mono/colour	
FAX colour Type Fax Modem		
	33,600 (Super G3)	
PC-Fax Send ^{3&8} and Receive ^{4&8}	Send and Receive faxes directly from your PC	
Memory Transmission	Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG)	
Out of Paper Reception	Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG)	
Error Correction Mode (ECM)	Detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machinesmust share this feature for it to work)	
Auto Reduction	When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce	
Due e de e etite e	the message to fit onto a single A4 sheet	
Broadcasting	Send the same fax message up to 250 locations	
Grey Scale	265 shades (8 bit) of grey are available for faxing	
Fleet Management		
Unattended Installer ⁴	Ability to centrally deploy and customise our drivers	
	and software	
MSI Installer ⁴	Modular installers that can be distributed through	
	On-premise Active Directory®	
DDA duration 485		
BRAdmin ⁴⁸⁵	LAN/WAN management software	
BRAdmin ⁴⁸⁵ Embedded Web Server	Web based print management software embedded	
Embedded Web Server	Web based print management software embedded onto the device	
	Web based print management software embedded	
Embedded Web Server	Web based print management software embedded onto the device Easily create print drivers for hassle free deployment	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵	Web based print management software embedded onto the device Easily create print drivers for hassle free deployment	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software	Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵	Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵ Security and Network	Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵ Security and Network Wired Network	Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC 10Base-T/100Base-TX	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵ Security and Network	Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos,	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵ Security and Network Wired Network Wired Network Security	Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵ Security and Network Wired Network Wired Network Security	Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos,	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵ Security and Network Wired Network Wired Network Security	Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode)	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵ Security and Network Wired Network Wired Network Security Wireless Network	 Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TLS), Kerberos, Ipsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) 	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵ Security and Network Wired Network Wired Network Security	 Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) 5GHz: WPA2-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TLS), 	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵ Security and Network Wired Network Wired Network Security Wireless Network	 Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, lpsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Mi-Fi Direct) 5GHz: IEEE 802.11 a/n (Mi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Mi-Fi Direct) 5GHz: IEEE 802.11 a/n (Mi-Fi Direct)) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)) 5GHz: IEEE 802.11 a/n (Mi-Fi Direct)) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)) 5GHz: IEEE 802.11 a/n (Mi-Fi Direct)) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)) 5GHz: IEEE 802.11 a/n (Wi-Fi Direct)) <l< td=""></l<>	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵ Security and Network Wired Network Wired Network Security Wireless Network	 Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Print wirelessly without having to go through a wireless access point (both automatic and manual 	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵ Security and Network Wired Network Wirel Network Security Wireless Network Wireless Network Security	 Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) SGHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported) 	
Embedded Web Server Driver Deployment Wizard ⁴⁸⁵ Software Brother iPrint&Scan Desktop ³⁸⁵ Security and Network Wired Network Wired Network Security Wireless Network Wireless Network Security	Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) SGHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Print wirelessly without having to go through a wireless access point (both automatic and manual	

	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client,	
IPv6	Web Services (Print/Scarl), CirS Cilent, SNTP Cilent, LDAP, HTTP Server NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Cilent, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scarl), POP3/IMAP4, SMTP Cilent, CIFS Cilent, SNTP Cilent, LDAP, ICMPv6,	
IP Filter	HTTP Server Restrict which network users can or cannot access	
E-mail Notifications	the device over the network (IPv4 only) Automatically have the device send e-mail alerts	
	when it requires attention, such as when the ink is low or needs replacing	
E-mail Reports	Receive usage reports on a regular basis via e-mail	
Secure Function Lock 3.0	Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users	
Secure Print	Protect print jobs with a 4 digit release code required at the device in order for them to be printed	
Supplies		
Inbox (pages)13	BK: 3000, C: 3000, M: 3000, Y: 3000	
Standard-Yield Cartridges (pages)	LC-436BK: 3000, LC-436C: 1500, LC-436M: 1500, LC-436Y: 1500	
High-Yield Cartridges (pages)	LC-436XLBK: 6000, LC-436XLC: 5000, LC-436XLM: 5000, LC-436XLY: 5000	
Dimensions and Weight		
Product Dimensions	576 (W) x 477 (D) x 445 (H)mm - 27.9kg	
Print Volume Recommended Monthly Print Volume ⁶	250 to 3,500 pages	
Environment		
Power Source	AC 220-240V 50/60Hz	
Power Consumption	Copying: 31W, Ready: 6.0W, Sleep: 0.9W, Off: 0.03V 50dB(A) (Approx.)	
Sound Pressure Level (Operating) Ink Save Mode	This reduces the ink usage and helps to reduce the total cost of printer ownership	
Approx. declared yield value in ac Capacity calculated with 80gsm p Windows and macOS only		
Windows only Optional download	es per month can be used to compare designed	
Maximum number of printed page durability between like Brother pro Requires Brother Software Must be web connected Print Speeds based on ISO/IEC 2	aducts 4734 (www.brother.com/rd/printspeed)	
Maximum number of printed page durability between like Brother pri Requires Brother Software Must be web connected Print Speeds based on ISO/IEC 2 0 FPOT (First Print Out Time) based 1 Copy Speeds ESAT based on ISO 2 Scan Speeds based on ISO/IEC 1 3 The first time you install a set of ir fill the delivery tubes for high qual	4734 (www.brother.com/rd/printspeed) I on ISO/IEC 17629 //IEC 24735 /7991 nk cartridges the machine will use an amount of ink to lity printouts.This process will only happen once. The oprox. 78% of 3,000 pages of LC436BK and approx.	
Maximum number of printed page durability between like Brother pri Requires Brother Software Must be web connected Print Speeds based on ISO/IEC 2 O FPOT (First Print Out Time) based Copy Speeds ESAT based on ISO/ Scan Speeds based on ISO/IEC 1 The first time you install a set of in fill the delivery tubes for high qual amount of ink remaining will be at 39% of 5,000 pages of special state Based on average monthly print volume 40% colour pages in accordance with IS more page-yield information, see www.	4734 (www.brother.com/rd/printspeed) I on ISO/IEC 17629)/IEC 24735 7991 nk cartridges the machine will use an amount of ink to lity printouts. This process will only happen once. The oprox. 78% of 3,000 pages of LC436BK and approx. arter cartridge C/M/Y is of approximately 300 pages at 60% black pages / SO/IEC 24711 using 4 cartridges provided in-box. For	
Maximum number of printed page durability between like Brother pri Requires Brother Software Must be web connected Print Speeds based on ISO/IEC 2 O FPOT (First Print Out Time) based Copy Speeds ESAT based on ISO/ Scan Speeds based on ISO/IEC 1 The first time you install a set of in fill the delivery tubes for high qual amount of ink remaining will be at 39% of 5,000 pages of special state Based on average monthly print volume 40% colour pages in accordance with IS more page-yield information, see www.	4734 (www.brother.com/rd/printspeed) I on ISO/IEC 17629 0/IEC 24735 7991 nk cartridges the machine will use an amount of ink to lity printouts.This process will only happen once. The oprox. 78% of 3,000 pages of LC436BK and approx. arter cartridge C/M/Y es of approximately 300 pages at 60% black pages / SO/IEC 24711 using 4 cartridges provided in-box. For brother.com/pageyield	

act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. Brother Earth www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

